

# Fittings



**Bitspower**<sup>®</sup>

Bitspower International Co.,Ltd

20200706



## Extended

Stop Fitting	2
Multiports	5
Extender	8
Rotarys	14
Quick Disconnets	24
Fill port & Air-Exhaust	26

## Hard Tube

Valve	28
Angles & Standard OD12mm	29
Angles & Standard OD14mm	32
Angles & Standard OD16mm	33

## Soft Tube

Angles & Standard CC3 ID 3/8	34
Angles & Standard CC2 ID 3/8	38
Angles & Standard CC4 ID 1/2	42
Angles & Standard CC5 ID 1/2	45
Angles & Standard CC6 ID 7/16	49
Angles & Standard ID (8mm or 6mm)	51
Angles & Standard ID 1/2	56
Angles & Standard ID 1/4	60
Angles & Standard ID 3/8	84

## Thread Exchange

68

## Touchaqua

Fitting	71
---------	----





**BP-WTP-CT**

Thread : G1/4"  
Thread Length : 5MM  
Sensor Length : 8MM

GO



**BP-WTP-C09**

Thread : G1/4"  
Thread Length : 5MM

GO



**BP-WTP-C09V2**

Thread : G1/4"  
Thread Length : 5MM

GO



**BP-WTP-C06**

Thread : G1/4"  
Thread Length : 5MM

GO



**BP-WTP-C06V2**

Thread : G1/4"  
Thread Length : 5MM  
Sensor Length : 8MM

GO



**BP-WTP-C49**

Thread : G3/8"  
Thread Length : 6.5MM

GO



**BP-WTP-C49V2**

Thread : G3/8"  
Thread Length : 6.5MM

GO



**BP-WTP-C50**

Thread : G3/8"  
Thread Length : 6.5MM

GO



**BP-WTP-C50V2**

Thread : G3/8"  
Thread Length : 6.5MM

GO



**BP-PRE-06**

Thread : G1/4"  
Thread Length : 5MM

GO

### BP-SDWP-DC06



Thread : G1/4"  
Thread Length : 5MM

GO

### BP-3RYB



Thread : Inner G1/4"  
Thread No.: 3

GO

### BP-FMB



Thread : Inner G1/4"  
Thread No.: 5  
Thread Length : 5MM

GO

### BP-FR-C



Thread : G1/4"  
Thread No.: 1  
Thread : Inner G1/4"  
Thread No.: 4  
Thread Length : 5MM

### BP-LMB



Thread : Inner G1/4"  
Thread No.: 2  
Thread Length : 5MM

GO

### BP-LR-C



Thread : G1/4"  
Thread No.: 1  
Thread : Inner G1/4"  
Thread No.: 1  
Thread Length : 5MM



**BP-MTFMB**

Thread : Inner G1/4"  
Thread No.: 5

GO



**BP-MTSMB**

Thread : Inner G1/4"  
Thread No.: 6

GO



**BP-OCB**

Thread : Inner G1/4"  
Thread No.: 2  
Thread Length : 5MM

GO



**BP-QMB**

Thread : Inner G1/4"  
Thread No.: 4  
Thread Length : 5MM

GO



**BP-QR-C**

Thread : G1/4"  
Thread No.: 1  
Thread : Inner G1/4"  
Thread No.: 3  
Thread Length : 5MM



**BP-TB**

Thread : Inner G1/4"  
Thread No.: 3

GO



**BP-TIIR-C**

Thread : G1/4"  
Thread No.: 1  
Thread : Inner G1/4"  
Thread No.: 2  
Thread Length : 5MM

GO



**BP-TMB**

Thread : Inner G1/4"  
Thread No.: 3  
Thread Length : 5MM

GO



**BP-TR-C**

Thread : G1/4"  
Thread No.: 1  
Thread : Inner G1/4"  
Thread No.: 2  
Thread Length : 5MM



**BP-YB**

Thread : Inner G1/4"  
Thread No.: 3

GO



**BP-DG14AALPI**

Thread : G1/4" On Both Side  
Thread Length : 5MM  
Adjustable Length Range : 22-31MM

GO



**BP-DG14AALPII**

Thread : G1/4" On Both Side  
Thread Length : 5MM  
Adjustable Length Range : 41-69MM

GO



**BP-DG14AALPM**

Thread : G1/4" On Both Side  
Thread Length : 5MM  
Adjustable Length Range : 16-22MM

GO



**BP-DR-C**

Thread : G1/4"  
Thread No.: 1  
Thread Length : 5MM

GO



**BP-RG**

Thread : G1/4" X2  
Thread Length : 5MM

GO



**BP-SDWP-DC08**

Thread : G1/4" On Both Side  
Thread Length : 5MM

GO



**BP-WTP-C03**

Thread : Inner G1/4"  
Thread Length : 5MM

GO



**BP-WTP-C05**

Thread : NPSM and Inner G1/4"  
Thread Length : 5MM

GO



**BP-WTP-C07**

Thread : G1/4"  
Thread Length : 5MM  
Length Application : 20MM

GO



**BP-WTP-C08**

Thread : G1/4" On Both Side  
Thread Length : 5MM

GO



**BP-WTP-C25**

Thread : -  
Thread Length : -

GO



**BP-WTP-C28**

Thread : G1/4"  
Thread Length : 5MM  
Length Application : 15MM

GO



**BP-WTP-C38**

Thread : G1/4"  
Thread Length : 5MM  
Length Application : 25.4MM

GO



**BP-WTP-C40**

Thread : G1/4" And Inner G1/4"  
Thread : G1/4"  
Thread Length : 5MM  
Thread : Inner G1/4"  
Thread Length : 5.5MM

**BP-WTP-C42**

Thread : G1/4" On Both Side  
Thread Length : 5MM

GO



**BP-WTP-C44**

Thread : G1/4"  
Thread Length : 5MM  
Length Application : 31.5MM

GO



**BP-WTP-C60**

Thread : G1/4" And Inner G1/4"  
Thread Length : 5MM  
Application Length: 15MM

GO



**BP-WTP-C61**

Thread : G1/4" And Inner G1/4"  
Thread Length : 5MM  
Application Length: 20MM

GO



**BP-WTP-C62**

Thread : G1/4" And Inner G1/4"  
Thread Length : 5MM  
Application Length: 25MM

GO



**BP-WTP-C63**

Thread : G1/4" And Inner G1/4"  
Thread Length : 5MM  
Application Length: 30MM

GO



### BP-WTP-C64

Thread : G1/4" And Inner G1/4"  
Thread Length : 5MM  
Application Length: 40MM

GO



### BP-WTP-C65

Thread : G1/4" And Inner G1/4"  
Thread Length : 5MM  
Application Length: 50MM

GO



### BP-WTP-C72

Thread : Inner G1/4" On Both Side.  
Thread Length : 6MM.



### BP-WTP-C73

Thread : Inner G1/4" On Both Side.  
Thread Length : 6MM.

GO



### BP-WTP-C74

Thread : Inner G1/4" On Both Side.  
Thread Length : 6MM.

GO



### BP-WTP-C75

Thread : Inner G1/4" On Both Side.  
Thread Length : 6MM.

GO



### BP-WTP-C76

Thread : Inner G1/4" On Both Side.  
Thread Length : 6MM.

GO



### BP-WTP-C95

Thread : G1/4" And Inner G1/4"  
Thread Length : 5MM  
Application Length: 10MM

GO





**BP-30DIG14**

Thread : Inner G1/4"  
Thread Length : 6MM  
Thread No. : 2

GO



**BP-30DRG14**

Thread : G1/4" On Both Side  
Thread Length : 6MM

GO



**BP-30DRIG14**

Thread : Inner G1/4" On Both Side  
Thread Length : 6MM

GO



**BP-30R**

Thread : G1/4" And Inner G1/4"  
Thread : G1/4"  
Thread Length : 5MM  
Thread : Inner G1/4"  
Thread Length : 6MM



**BP-30R2D**

Thread : G1/4" And Inner G1/4"  
Thread : G1/4"  
Thread Length : 5MM  
Thread : Inner G1/4"  
Thread Length : 6MM



**BP-30R2G**

Thread : G1/4" On Both Side  
Thread Length : 5MM

GO



**BP-45DIG14**

Thread : Inner G1/4"  
Thread Length : 6MM  
Thread No. : 2

GO



**BP-45DRG14**

Thread : G1/4" On Both Side  
Thread Length : 6MM

GO



**BP-45DRIG14**

Thread : Inner G1/4" On Both Side  
Thread Length : 6MM

GO



**BP-45R**

Thread : G1/4" and Inner G1/4"  
Thread Length : 5MM

GO



**BP-45R2D**

Thread : G1/4"  
Thread No. : 1  
Thread : Inner G1/4"  
Thread No. : 1  
Thread Length : 5MM

**BP-45R2G**

Thread : G1/4"  
Thread No. : 2  
Thread Length : 5MM

GO

**BP-60DIG14**

Thread : Inner G1/4"  
Thread Length : 6MM  
Thread No. : 2

GO

**BP-60DRG14**

Thread : G1/4" On Both Side  
Thread Length : 6MM

GO

**BP-60DRIG14**

Thread : Inner G1/4" On Both Side  
Thread Length : 6MM

GO



**BP-60R**

Thread : G1/4" And Inner G1/4"  
Thread : G1/4"  
Thread Length : 5MM  
Thread : Inner G1/4"  
Thread Length : 6MM

**BP-60R2D**

Thread : G1/4" And Inner G1/4"  
Thread : G1/4"  
Thread Length : 5MM  
Thread : Inner G1/4"  
Thread Length : 6MM

**BP-60R2G**

Thread : G1/4" On Both Side  
Thread Length : 5MM

GO

**BP-60R3D**

Thread : G1/4" And Inner G1/4"  
Thread : G1/4"  
Thread Length : 5MM  
Thread : Inner G1/4"  
Thread Length : 6MM

**BP-60R3G**

Thread : G1/4" On Both Side  
Thread Length : 5MM

GO





**BP-90DIG14**

Thread : Inner G1/4"  
Thread Length : 6MM  
Thread No. : 2

GO



**BP-90DRG14**

Thread : G1/4" On Both Side  
Thread Length : 6MM

GO



**BP-90DRIG14**

Thread : Inner G1/4" On Both Side  
Thread Length : 6MM

GO



**BP-90R**

Thread : G1/4" and Inner G1/4"  
Thread Length : 5MM

GO



**BP-90R2**

Thread : G1/4"  
Thread Length : 5MM

GO



**BP-90R2LD**

Thread : G1/4" and Inner G1/4"  
Thread Length : 5MM

GO



**BP-90R2LG**

Thread : G1/4"  
Thread Length : 5MM

GO



**BP-90R3**

Thread : G1/4" And Inner G1/4"  
Thread : G1/4"  
Thread Length : 5MM  
Thread : Inner G1/4"  
Thread Length : 6MM



**BP-90R3D**

Thread : G1/4"  
Thread No. : 1  
Thread : Inner G1/4"  
Thread No. : 1  
Thread Length : 5MM



**BP-90R3G**

Thread : G1/4"  
Thread No. : 2  
Thread Length : 5MM

GO



**BP-90R4D**

Thread : G1/4" And Inner G1/4"  
Thread : G1/4"  
Thread Length : 5MM  
Thread : Inner G1/4"  
Thread Length : 6MM



**BP-90R4G**

Thread : G1/4" On Both Side  
Thread Length : 5MM

GO



**BP-120R2**

Thread : -  
Thread Length : -

GO



**BP-120R3D**

Thread No. : 2

GO



**BP-120R3G**

Thread : -  
Thread Length :-

GO



**BP-MSR**

Thread : Inner G1/4"  
Thread Length : 5MM  
Thread No. : 2

GO



**BP-MSR3D**

Thread : Inner G1/4"  
Thread Length : 5MM  
Thread No. : 2

GO



**BP-MSR3DG**

Thread : G1/4"  
Thread Length : 5MM  
Thread No. : 2

GO



**BP-SR3**

Thread : Inner G1/4"  
Thread Length : 5MM  
Thread No. : 2

GO



**BP-SR5D**

Thread : Inner G1/4"  
Thread Length : 5MM  
Thread No. : 2

GO



**BP-SR5DG**

Thread : G1/4"  
Thread Length : 5MM  
Thread No. : 2

GO



**BP-WTP-C30**

Thread : G1/4" and Inner G1/4"  
Thread Length : 5MM

GO



**BP-WTP-C39**

Thread : G1/4" and Inner G1/4"  
Thread Length : 5MM

GO



**BP-WTP-C77**

Thread : Inner G1/4"  
Thread Length : 6MM  
Thread No. : 2

GO



**BP-WTP-C78**

Thread : G1/4" And Inner G1/4"  
Thread : G1/4"  
Thread Length : 5MM  
Thread : Inner G1/4"  
Thread Length : 6MM



**BP-WTP-C79**

Thread : G1/4" And IPT1/8"  
Thread : G1/4"  
Thread Length : 5MM  
Thread : IPT1/8"  
Thread Length : 9MM



**BP-PCPF-QCC5**  
Thread : G1/4"  
Thread Length : 5MM  
Tubing Size : ID 1/2" (12.7mm) OD 3/4"(19.05mm)



**BP-QDFG14**  
Thread : G1/4"  
Thread Length : 5MM



**BP-QDF30R**  
Thread : Inner G1/4"  
Thread Length : 6MM



**BP-QDFIG14**  
Thread : Inner G1/4"  
Thread Length : 6MM



**BP-QDF45R**  
Thread : Inner G1/4"  
Thread Length : 4.4MM



**BP-QDMG14**  
Thread : G1/4"  
Thread Length : 5MM



**BP-QDF60R**  
Thread : Inner G1/4"  
Thread Length : 6MM



**BP-QDMIG14**  
Thread : Inner G1/4"  
Thread Length : 6MM



**BP-QDF90R**  
Thread : Inner G1/4"  
Thread Length : 6MM



### BP-ETAIR

Thread : G1/4"  
Thread Length : 5MM



### BP-WTP-C04

Thread : Inner G1/4"  
Thread Length : 15MM



### BP-WTP-C17

Thread : G1/4" (No Seal Function)  
Thread Length : 5MM



### BP-WTP-C18

Thread : G1/4" And Inner G1/4"  
Thread : G1/4"  
Thread Length : 5MM  
Thread : Inner G1/4"  
Thread Length : 6.5MM



### BP-WTP-C46

Thread : G1/4"  
Thread Length : 5MM



### BP-WTP-C67

Thread : G1/4"  
Thread Length : 4MM



### BP-MVVFRGIG14-SLBK

Thread : G1/4"  
 Thread No. : 1  
 Thread : Inner G1/4"  
 Thread No. : 1

### BP-MVVRG14X2-SLBK

Thread : G1/4" x 2.




### BP-MVVRIG14X2-SLBK

Thread : Inner G1/4" x 2.



### BP-MVV-SLBK

Thread : G1/4" x 2.



### BP-E30DML

Thread : -  
 Thread Length : -



### BP-E30RML

Thread : G1/4"  
 Thread Length : 5MM



### BP-E45DML

Thread : -  
 Thread Length : -



### BP-E45RML

Thread : G1/4"  
 Thread Length : 5MM



### BP-E60DML

Thread : -  
 Thread Length : -



**BP-E60RML**

Thread : G1/4"  
Thread Length : 5MM

**BP-E90DML**

Thread : -  
Thread Length : -

**BP-E90RML**

Thread : G1/4"  
Thread Length : 5MM

**BP-EDML**

Thread : -  
Thread Length : -

**BP-WTP-C47**

Thread : G1/4"  
Thread Length : 5MM

**BP-WTP-C48**

Thread : G1/4"  
Thread Length : 5MM

**BP-WTP-C68**

Thread : Inner G1/4"  
Thread Length : 5MM

**BP-WTP-C71**

Length : 15MM

**BP-WTP-C91**

Thread : G1/4"  
Thread Length : 5MM

**BP-EML14**

Thread : G1/4"  
Thread Length : 5MM

**BP-E90RML14**

Thread : G1/4"  
Thread Length : 5MM

**BP-E90DML14**

Thread : Inner G1/4"  
Thread No : 2

**BP-WTP-C89**

Thread : G1/4"  
Thread Length : 5MM

**BP-EML16**

Thread : G1/4"  
Thread Length : 5MM

**BP-E90RML16**

Thread : G1/4"  
Thread Length : 5MM

**BP-E90DML16**

Thread : -  
Thread Length : -



### BP-30R2CPF-CC3V2

Thread : G1/4"  
Thread Length : 5MM  
Tubing Size : ID 3/8"(9.525mm) OD5/8"(15.875mm)



### BP-45R2CPF-CC3

Thread : G1/4"  
Thread Length : 5MM  
Tubing Size : ID 3/8" OD 5/8"



### BP-45R2CPF-CC3U

Thread : G1/4"  
Thread Length : 5MM  
Tubing Size : ID 3/8" OD 5/8"



### BP-45R2CPF-CC3V2

Thread : G1/4"  
Thread Length : 5MM  
Tubing Size : ID 3/8" OD5/8"



### BP-45R2CPF-CC3V3

Thread : G1/4"  
Thread Length : 5MM  
Tubing Size : ID 3/8" OD5/8"



### BP-60R2CPF-CC3U

Thread : G1/4"  
Thread Length : 5MM  
Tubing Size : ID 3/8" OD 5/8"



### BP-60R2CPF-CC3V2

Thread : G1/4"  
Thread Length : 5MM  
Tubing Size : ID 3/8"(9.525mm) OD5/8"(15.875mm)



### BP-60R2CPF-CC3V3

Thread : G1/4"  
Thread Length : 5MM  
Tubing Size : ID 3/8"(9.525mm) OD5/8"(15.875mm)



### BP-90R2LCPF-CC3

Thread : G1/4"  
Thread Length : 5MM  
Tubing Size : ID 3/8" OD 5/8"



### BP-90R2LCPF-CC3U

Thread : G1/4"  
Thread Length : 5MM  
Tubing Size : ID 3/8" OD 5/8"



### BP-90R2LCPF-CC3V3

Thread : G1/4"  
Thread Length : 5MM  
Tubing Size : ID 3/8" OD 5/8"



### BP-CPF-CC3U

Thread : G1/4"  
Thread Length : 5MM  
Tubing Size : ID 3/8" OD 5/8"



### BP-CPF-CC3V2

Thread : G1/4"  
Thread Length : 5MM  
Tubing Size : ID 3/8" OD 5/8"



### BP-CPF-CC3V3

Thread : G1/4"  
Thread Length : 5MM  
Tubing Size : ID 3/8" OD 5/8"



### BP-QDFRCPF-CC3V2

Tubing Size : ID 3/8" OD 5/8"



### BP-QDMRCPF-CC3U

Tubing Size : ID 3/8" OD 5/8"



### BP-QDMRCPF-CC3V2

Tubing Size : ID 3/8" OD 5/8"



### BP-RCPF-CC3U

Thread : G1/4"  
Thread Length : 5MM  
Tubing Size : ID 3/8" OD 5/8"



### BP-RCPF-CC3V2

Thread : G1/4"  
Thread Length : 5MM  
Tubing Size : ID 3/8" OD 5/8"



### BP-30R2CPF-CC2V2

Thread : G1/4"  
Thread Length : 5MM  
Tubing Size : ID 3/8"(9.525mm) OD1/2"(12.7mm)



### BP-45R2CPF-CC2U

Thread : G1/4"  
Thread Length : 5MM  
Tubing Size : ID 3/8" OD 1/2"



### BP-45R2CPF-CC2V3

Thread : G1/4"  
Thread Length : 5MM  
Tubing Size : ID 3/8" OD 1/2"



### BP-60R2CPF-CC2V2

Thread : G1/4"  
Thread Length : 5MM  
Tubing Size : ID 3/8"(9.525mm) OD1/2" (12.7mm)



### BP-90R2LCPF-CC2

Thread : G1/4"  
Thread Length : 5MM  
Tubing Size : ID 3/8" OD 1/2"



### BP-90R2LCPF-CC2U

Thread : G1/4"  
Thread Length : 5MM  
Tubing Size : ID 3/8" OD 1/2"



### BP-90R2LCPF-CC2V3

Thread : G1/4"  
Thread Length : 5MM  
Tubing Size : ID 3/8" OD 1/2"



### BP-90R3CPF-CC2U

Thread : G1/4"  
Thread Length : 5MM  
Tubing Size : ID 3/8" OD 1/2"



### BP-90R3CPF-CC2V2

Thread : -  
Thread Length : -



### BP-CPF-CC2

Thread : G1/4"  
Thread Length : 5MM  
Tubing Size : ID 3/8" OD 1/2"

**BP-CPF-CC2U**

Thread : G1/4"  
Thread Length : 5MM  
Tubing Size : ID 3/8" OD 1/2"

**BP-RCPF-CC2U**

Thread : G1/4"  
Thread Length : 5MM  
Tubing Size : ID 3/8" OD 1/2"

**BP-CPF-CC2V2**

Thread : G1/4"  
Thread Length : 5MM  
Tubing Size : ID 3/8" OD 1/2"

**BP-RCPF-CC2V2**

Thread : G1/4"  
Thread Length : 5MM  
Tubing Size : ID 3/8" OD 1/2"

**BP-CPF-CC2V3**

Thread : G1/4"  
Thread Length : 5MM  
Tubing Size : ID 3/8" OD 1/2"

**BP-QDFRCPF-CC2V2**

Tubing Size : ID 3/8" OD 1/2"

**BP-QDMRCPF-CC2V2**

Tubing Size : ID 3/8" OD 1/2"



### BP-30R2CPF-CC4V2

Thread : G1/4"  
Thread Length : 5MM  
Tubing Size : ID 1/2"(12.7mm) OD5/8"(15.875mm)



### BP-45R2CPF-CC4

Thread : G1/4"  
Thread Length : 5MM  
Tubing Size : ID 1/2" OD 5/8"



### BP-45R2CPF-CC4V2

Thread : G1/4"  
Thread Length : 5MM  
Tubing Size : ID 1/2"(12.7mm) OD5/8"(15.875mm)



### BP-60R2CPF-CC4U

Thread : G1/4"  
Thread Length : 5MM  
Tubing Size : ID 1/2"(12.7mm) OD5/8"(15.875mm)



### BP-60R2CPF-CC4V2

Thread : G1/4"  
Thread Length : 5MM  
Tubing Size : ID 1/2"(12.7mm) OD5/8"(15.875mm)



### BP-90R2LCPF-CC4

Thread : G1/4"  
Thread Length : 5MM  
Tubing Size : ID 1/2" OD 5/8"



### BP-90R3CPF-CC4

Thread : G1/4"  
Thread Length : 5MM  
Tubing Size : ID 1/2" OD 5/8"



### BP-CPF-CC4V2

Thread : G1/4"  
Thread Length : 5MM  
Tubing Size : ID 1/2" OD 5/8"



### BP-QDFRCPF-CC4V2

Tubing Size : ID 1/2" OD 5/8"



### BP-QDMRCPF-CC4V2

Tubing Size : ID 1/2" OD 5/8"



### BP-RCPF-CC4U

Thread : G1/4"  
Thread Length : 5MM  
Tubing Size : ID 1/2" OD 5/8"



### BP-RCPF-CC4V2

Thread : G1/4"  
Thread Length : 5MM  
Tubing Size : ID 1/2" OD 5/8"



### BP-30R2CPF-CC5V3

Thread : -  
Thread Length : -



### BP-45R2CPF-CC5U

Thread : G1/4"  
Thread Length : 5MM  
Tubing Size : ID 1/2" OD 3/4"



### BP-45R2CPF-CC5V3

Thread : G1/4"  
Thread Length : 5MM  
Tubing Size : ID 1/2" OD 3/4"



### BP-60R2CPF-CC5U

Thread : G1/4"  
Thread Length : 5MM  
Tubing Size : ID 1/2" OD 3/4"



### BP-60R2CPF-CC5V2

Thread : G1/4"  
Thread Length : 5MM  
Tubing Size : ID 1/2"(12.7mm) OD 3/4"(19.05mm)





### BP-90R2LCPF-CC5V3

Thread : G1/4"  
Thread Length : 5MM  
Tubing Size : ID 1/2" OD 3/4"



### BP-90R3CPF-CC5U

Thread : G1/4"  
Thread Length : 5MM  
Tubing Size : ID 1/2" OD 3/4"



### BP-90R3CPF-CC5V3

Thread : -  
Thread Length : -



### BP-CPF-CC5

Thread : G1/4"  
Thread Length : 5MM  
Tubing Size : ID 1/2" OD 3/4"



### BP-CPF-CC5U

Thread : G1/4"  
Thread Length : 5MM  
Tubing Size : ID 1/2" OD 3/4"




### BP-CPF-CC5V2

Thread : G1/4"  
Thread Length : 5MM  
Tubing Size : ID 1/2" OD 3/4"



### BP-CPF-CC5V3

Thread : G1/4"  
Thread Length : 5MM  
Tubing Size : ID 1/2" OD 3/4"



### BP-CPF-HFCC5

Thread : G3/8"  
Thread Length : 6.5MM  
Tubing Size : ID 1/2" OD 3/4"



### BP-QDFRCPF-CC5U

Tubing Size : ID 1/2" OD 3/4"



### BP-QDFRCPF-CC5V2

Tubing Size : ID 1/2" OD 3/4"




### BP-QDMRCPF-CC5U

Tubing Size : ID 1/2" OD 3/4"



### BP-QDMRCPF-CC5V2

Tubing Size : ID 1/2" OD 3/4"



### BP-RCPF-CC5U

Thread : G1/4"  
Thread Length : 5MM  
Tubing Size : ID 1/2" OD 3/4"



### BP-RCPF-CC5V2

Thread : G1/4"  
Thread Length : 5MM  
Tubing Size : ID 1/2" OD 3/4"

### BP-30R2CPF-CC6V2

Thread : G1/4"  
Thread Length : 5MM  
Tubing Size : ID 7/16"(11.1125mm) OD5/8"(15.875mm)



### BP-45R2CPF-CC6

Thread : G1/4"  
Thread Length : 5MM  
Tubing Size : ID 7/16" OD 5/8"



### BP-45R2CPF-CC6U

Thread : -  
Thread Length : -



### BP-90R2LCPF-CC6U

Thread : G1/4"  
Thread Length : 5MM  
Tubing Size : ID 7/16" OD 5/8"



### BP-90R3CPF-CC6

Thread : G1/4"  
Thread Length : 5MM  
Tubing Size : ID 7/16" OD 5/8"



**BP-CPF-CC6V2**

Thread : G1/4"  
Thread Length : 5MM  
Tubing Size : ID 7/16" OD 5/8"

**BP-CPF-HFCC6**

Thread : G3/8"  
Thread Length : 6.5MM  
Tubing Size : ID 7/16" OD 5/8"

**BP-RCPF-CC6U**

Thread : G1/4"  
Thread Length : 5MM  
Tubing Size : ID 7/16" OD 5/8"

**BP-WTP-C33**

Thread : G1/4"  
Thread Length : 5MM  
Tubing Size : 7/16"  
Tubing Side Length : 15MM

**BP-WTP-C34**

Thread : G1/4"  
Thread Length : 5MM  
Tubing size : 7/16" Tubing Side Length : 10.8MM

**BP-30R2IV**

Thread : G1/4"  
Thread Length : 5MM  
Tubing Size : ID 8MM OD 10MM

**BP-30R2V**

Thread : G1/4"  
Thread Length : 5MM  
Tubing Size : ID 8MM OD 11MM

**BP-45R2IV**

Thread : G1/4"  
Thread Length : 5MM  
Tubing Size : ID 8MM OD 10MM

**BP-45R2V**

Thread : G1/4"  
Thread Length : 5MM  
Tubing Size : ID 8MM OD 11MM

**BP-60R2IV**

Thread : G1/4"  
Thread Length : 5MM  
Tubing Size : ID 8MM OD 10MM



**BP-60R2V**

Thread : G1/4"  
Thread Length : 5MM  
Tubing Size : ID 8MM OD 10MM



**BP-60R3IV**

Thread : -  
Thread Length : -



**BP-60R3V**

Thread : -  
Thread Length : -



**BP-90R3IV**

Thread : G1/4"  
Thread Length : 5MM  
Tubing Size : ID 8MM OD 10MM



**BP-90R3V**

Thread : G1/4"  
Thread Length : 5MM  
Tubing Size : ID 8MM OD 11MM



**BP-90R4IV**

Thread : -  
Thread Length : -



**BP-90R4V**

Thread : -  
Thread Length : -



**BP-LRIV**

Thread : G1/4"  
Thread Length : 5MM  
Tubing Size : ID 8MM OD 10MM



**BP-LRV**

Thread : G1/4"  
Thread Length : 5MM  
Tubing Size : ID 8MM OD 11MM



**BP-RIV**

Thread : G1/4"  
Thread Length : 5MM  
Tubing Size : ID 8MM OD 10MM

**BP-RV**

Thread : G1/4"  
Thread Length : 5MM  
Tubing Size : ID 8MM OD 11MM

**BP-WTP-C11**

Thread : G1/4"  
Thread Length : 5MM  
Tubing Size : ID 8MM OD 10MM

**BP-WTP-C11J**

Thread : G1/4"  
Thread Length : 5MM  
Tubing Size : ID 8MM OD 11MM

**BP-WTP-C41**

Thread : G1/4"  
Thread Length : 5MM  
Tubing Size : ID 8MM OD 10MM

**BP-WTP-C41J**

Thread : G1/4"  
Thread Length : 5MM  
Tubing Size : ID 8MM OD 11MM

**BP-WTP-C69**

Thread : G1/4"  
Thread Length : 5MM  
Tubing Size : 8MM  
Tubing Side Length : 12MM

**BP-WTP-C70**

Thread : G1/4"  
Thread Length : 5MM  
Tubing Size : 6MM  
Tubing Side Length : 12MM

**BP-30R21**

Thread : G1/4"  
Thread Length : 5MM  
Tubing Size : 1/2"  
Tubing Size Length : 15MM

**BP-45R21**

Thread : G1/4"  
Thread Length : 5MM  
Tubing Size : 1/2"

**BP-60R21**

Thread : G1/4"  
Thread Length : 5MM  
Tubing Size : 1/2"  
Tubing Size Length : 15MM

**BP-60R31**

Thread : -  
Thread Length : -

**BP-90R31**

Thread : G1/4"  
Thread Length : 5MM  
Tubing Size : 1/2"

**BP-90R41**

Thread : -  
Thread Length : -

**BP-LRI**

Thread : G1/4"  
Thread Length : 5MM  
Tubing Size : ID 8MM OD 10MM

**BP-LRIM**

Thread : G1/4"  
Thread Length : 5MM  
Tubing Size : 1/2"

**BP-RI**

Thread : G1/4"  
Thread Length : 5MM  
Tubing Size : 1/2"

**BP-SDWP-DC01**

Thread : G1/4"  
Thread Length : 5MM  
Tubing Size : 1/2"

**BP-WTP-C01**

Thread : G1/4"  
Thread Length : 5MM  
Tubing Application : 1/2"  
Tubing Side Length : 15MM

**BP-WTP-C14**

Thread : G1/4"  
Thread Length : 5 MM  
Tubing Application : 1/2"  
Length On Tubing Side : 10.8 MM

**BP-WTP-C15**

Thread : G3/8"  
Thread Length : 6.5 MM  
Tubing Application : 1/2"  
Tubing Side Length : 15 MM

**BP-WTP-C26**

Thread : G1/4"  
Thread Length : 5MM  
Tubing Size :1/2"

**BP-WTP-C31**

Tubing Size:ID 1/2" Tubing Side Length : 15MM

**BP-WTP-C35**

Tubing Size:1/2" Tubing Side Length : 15MM  
Tubing Size:3/8" Tubing Side Length : 15MM

**BP-WTP-C36**

Tubing Size:1/2" Tubing Side Length : 15MM  
Tubing Size:1/4" Tubing Side Length : 10.8MM





### BP-30R2CPF-CC1V2

Thread : G1/4"  
Thread Length : 5MM  
Tubing Size : ID 1/4"(6.35mm) OD3/8"(9.525mm)



### BP-30R2III

Thread Length : 5MM  
Tubing Size : 1/4"  
Tubing Size Length : 10.8MM



### BP-45R2CPF-CC1

Thread : G1/4"  
Thread Length : 5MM  
Tubing Size : ID 1/4" OD 3/8"



### BP-45R2III

Thread : G1/4"  
Thread Length : 5MM  
Tubing Size : 1/4"



### BP-60R2III

Thread : G1/4"  
Thread Length : 5MM  
Tubing Size : 1/4"  
Tubing Size Length : 10.8MM



### BP-60R3III

Thread : -  
Thread Length : -



### BP-90R2LCPF-CC1

Thread : G1/4"  
Thread Length : 5MM  
Tubing Size : ID 1/4" OD 3/8"



### BP-90R3III

Thread : G1/4"  
Thread Length : 5MM  
Tubing Size : 1/4"



### BP-90R4III

Thread : -  
Thread Length : -



### BP-CPF-CC1

Thread : G1/4"  
Thread Length : 5MM  
Tubing Size : ID 1/4" OD 3/8"



**BP-LR111**

Thread : G1/4"  
Thread Length : 5MM  
Tubing Size : 1/4"

**BP-QDFRCPF-CC1V2**

Tubing Size : ID 1/4" OD 3/8"

**BP-QDMRCPF-CC1V2**

Tubing Size : ID 1/4" OD 3/8"

**BP-RCPF-CC1**

Thread : G1/4"  
Thread Length : 5MM  
Tubing Size : ID 1/4" OD 3/8"

**BP-RCPF-CC1U**

Thread : G1/4"  
Thread Length : 5MM  
Tubing Size : ID 1/4"(6.35mm) OD 3/8"(9.525mm)

**BP-R111**

Thread : G1/4"  
Thread Length : 5MM  
Tubing Size : 1/4"

**BP-SDWP-DC12**

Thread : G1/4"  
Thread Length : 5MM  
Tubing Size : 1/4"

**BP-WTP-C12**

Thread : G1/4"  
Thread Length : 5MM  
Tubing Size : 1/4"  
Tubing Side Length : 10.8MM

**BP-WTP-C29**

Thread : G1/4"  
Thread Length : 5MM  
Tubing Size : 1/4"

**BP-WTP-C37**

Tubing Size: 3/8" Tubing Side Length : 15MM  
Tubing Size: 1/4" Tubing Side Length : 10.8MM

**BP-30R2II**

Thread : G1/4"  
 Thread Length : 5MM  
 Tubing Size : 3/8"  
 Tubing Size Length : 15MM

**BP-45R2II**

Thread : G1/4"  
 Thread Length : 5MM  
 Tubing Size : 3/8"

**BP-60R2II**

Thread : G1/4"  
 Thread Length : 5MM  
 Tubing Size : 3/8"  
 Tubing Size Length : 15MM

**BP-60R3II**

Thread : -  
 Thread Length : -

**BP-90R3II**

Thread : G1/4"  
 Thread Length : 5MM  
 Tubing Size : 3/8"

**BP-90R4II**

Thread : -  
 Thread Length : -

**BP-LRII**

Thread : G1/4"  
 Thread Length : 5MM  
 Tubing Size : 3/8"

**BP-LRIIM**

Thread : G1/4"  
 Thread Length : 5MM  
 Tubing Size : 3/8"

**BP-RII**

Thread : G1/4"  
 Thread Length : 5MM  
 Tubing Size : 3/8"

**BP-SDWP-DC02**

Thread : G1/4"  
 Thread Length : 5MM  
 Tubing Size : 3/8"

**BP-WTP-C02**

Thread : G1/4"  
Thread Length : 5MM  
Tubing Size : 3/8"  
Tubing Side Length : 15MM

**BP-WTP-C13**

Thread : G1/4"  
Thread Length : 5 MM  
Tubing Application : 3/8"  
Length On Tubing Side : 10.8 MM

**BP-WTP-C16**

Thread : G3/8"  
Thread Length : 6.5 MM  
Tubing Application : 3/8"  
Tubing Side Length : 15 MM

**BP-WTP-C27**

Thread : G1/4"  
Thread Length : 5MM  
Tubing Size : 3/8"

**BP-WTP-C32**

Tubing Size:ID 3/8" Tubing Side Length : 15MM

**BP-WTP-C45**

Thread : G1/4"  
Thread Length : 5MM  
Tubing size : OD13MM/ID11MM



**BP-WTP-C10**

Thread : G1/8" To IG1/4"  
Thread : G1/8"  
Thread Length : 5MM  
Thread : Inner G1/4"  
Thread Length : 10MM



**BP-WTP-C19**

Thread : G1/8" to IG1/4" Thread : Inner G1/4"  
Thread Length :8MM Thread : G1/8" Thread Length :8.5MM



**BP-WTP-C20**

Thread : G1/4" to IG1/4"  
Thread : G1/4"  
Thread Length : 9MM  
Thread : IG1/4" Thread Length : 8 MM



**BP-WTP-C21**

Thread : G3/8" To IG1/4"  
Thread : G3/8"  
Thread Length : 10MM  
Thread : Inner G1/4"  
Thread Length : 8MM



**BP-WTP-C22**

Thread : G1/2" to IG1/4"  
Thread : G1/2"  
Thread Length : 10.5MM  
Thread : Inner G1/4"  
Thread Length : 9.5MM



**BP-WTP-C23**

Thread : G3/8" To IG1/4"  
Thread : G3/8"  
Thread Length : 8MM  
Thread : Inner G1/4"  
Thread Length : 5MM



**BP-WTP-C24**

Thread : IG1/2" To IG1/4"  
Thread : Inner G1/2"  
Thread Length : 6MM  
Thread : Inner G1/4"  
Thread Length : 7MM



**BP-WTP-C59**

Thread : 9/16" UNF  
Thread Length : 10MM  
Thread : Inner G1/4"  
Thread Length : 6MM



**BP-WTP-C66**

Thread : G1/4"  
Thread Length : 5MM  
Thread : Inner G1/8"  
Thread Length : 10MM



**BP-WTP-C80**

Thread : G1/8" to IPT1/4"  
Thread Length: 13.5MM



**BP-WTP-C81**

Thread: G1/4" to IPT1/8"  
Thread Length: 11.5MM



**BP-WTP-C92**

Thread : G1/4"  
Thread Length : 5MM  
Thread : Inner G3/8"  
Thread Length : 7MM



**TA-45RE-GS**

Thread : G1/4" and Inner G1/4"



**TA-90DIA-GS**

Thread : G1/4"



**TA-90RE-GS**

Thread : G1/4" and Inner G1/4"



**TA-CFS1234-GS**

Thread : G1/4"



**TA-CFS1258-GS**

Thread : G1/4"



**TA-CFS1438-GS**

Thread : G1/4"



**TA-CFS3812-GS**

Thread : G1/4"



**TA-CFS3858-GS**

Thread : G1/4"



**TA-CFS71658-GS**

Thread : G1/4"



**TA-DOTFH1218-GS**

Thread : G1/4"  
Thread Length : 5MM



**TA-DOTFH1420-GS**

Thread : G1/4"  
Thread Length : 5MM



**TA-DOTFH1622-GS**

Thread : G1/4"  
Thread Length : 5MM



**TA-EXAIR-GS**

Thread : G1/4"



**TA-F06-GS**

Thread : G1/4"



**TA-F08-GS**

Thread : G1/4" On Both Side



**TA-F09-GS**

Thread : G1/4"



**TA-F40-GS**

Thread : G1/4" And Inner G1/4"



**TA-F42-GS**

Thread : G1/4" On Both Side



**TA-F60-GS**

Thread : G1/4" And Inner G1/4"



**TA-F61-GS**

Thread : G1/4" And Inner G1/4"



**TA-F62-GS**

Thread : G1/4" and Inner G1/4"




**TA-F63-GS**

Thread : G1/4" and Inner G1/4"



**TA-FH12-GS**

Thread : G1/4"



**TA-FH14-GS**

Thread : G1/4"



**TA-FH16-GS**

Thread : G1/4"



**TA-GFALP1622-GS**

Thread : G1/4" on Female Side



**TA-GFALP2231-GS**

Thread : G1/4" on Female Side



**TA-GFALP4169-GS**

Thread : G1/4" on Female Side



**TA-GMALP1622-GS**

Thread : G1/4" on Male Side



**TA-GMALP2231-GS**

Thread : G1/4" on Male Side



**TA-GMALP4169-GS**

Thread : G1/4" on Male Side



**TA-IGFALP1622-GS**

Thread : Inner G1/4" on Female Side.



**TA-IGFALP2231-GS**

Thread : Inner G1/4" on Female Side



**TA-IGFALP4169-GS**

Thread : Inner G1/4" on Female Side



**TA-IGMALP1622-GS**

Thread : Inner G1/4" on Male Side.





**TA-IGMALP2231-GS**

Thread : Inner G1/4" on Male Side



**TA-IGMALP4169-GS**

Thread : Inner G1/4" on Male Side



**TA-RE-GS**

Thread : G1/4" x2



**TA-TFH1218-GS**

Thread : G1/4"



**TA-TFH1420-GS**

Thread : G1/4"



**TA-TFH1622-GS**

Thread : G1/4"



**TA-TMB-GS**

Thread : Inner G1/4"



**TA-TRC-GB**

hread : G1/4"  
Thread : Inner G1/4"